
techoLED®
BROOKLYN • NY

MAGNETIC TRACK DUAL - MAGNETIC TRACK

Rev. Date: 10/21/2026

Project:	Type:
	Comments:



Highlights

The TechoLED Magnetic Track Dual System is a creative and flexible architectural lighting solution, with track on both the top and bottom. The track has virtually unlimited capability to create continuous runs and patterns. Light components—ranging from solid linear, louver, and wall washer to adjustable spotlights and pendant cylinders—snap into the track magnetically and can be repositioned by hand without tools. It is a superb and creative lighting solution for any modern interior.


LED: Osram & Cree LED chips, 2700-5000K, dim-to-warm and tunable white available, 90+ CRI

Optical: Direct/indirect illumination, variety of beam angles available on all spotlight and louvered modules


Construction: High-grade, slim 1” aluminum extrusions, track on top and bottom, 24V remote driver, powder coat finish, continuous linear runs, X, T & L corners available for virtually unlimited patterns.

5-year limited warranty

Cross Section



Installation



Pendant
(P)

techoLED®
BROOKLYN • NY

MAGNETIC TRACK DUAL - MAGNETIC TRACK

Rev. Date: 10/21/2026

Project:	Type:
	Comments:

Configuration Example

Model #	Distribution	Length	Voltage	Finish	Mounting
TECHOLED-MD-DI-2-U-W-P	Direct/indirect	2'	110-277V	White	Pendant

Ordering Guide:

Select one option from each group below. For a custom preference please contact sales@techoled.com

1-FIXTURE ID		2-DISTRIBUTION		3-LENGTH		4-VOLTAGE	
MD	Single-Circuit	**DI**	Direct/Indirect	**2**	2´	**U**	110-277V
MD2	Double-Circuit			**4**	4´		
MDC	Casambi-MDC			**6**	6´		
MDD	Dali-MDD			**8**	8´		
				C	Custom		

5-FINISH		6-MOUNTING	
B	Black	**P**	Pendant
W	White		
C	Custom (RAL#)		

Project:	Type:
	Comments:

Voltage Details

Code	Description
U	AC 110-277V, DC 24V, Driver not included

Mounting Details

Code	Description
P	Pendant

Fixture ID


Code	Description
MD	Single Circuit
MD2	Double Circuit
MDC	Casambi
MDD	Dali


MAGNETIC TRACK DUAL - MAGNETIC TRACK

Rev. Date: 10/21/2026

Project:	Type:
	Comments:

Dimension and Mounting - Direct Distribution (DI)







FIXTURE ID	A	B	C	D	E
MD-DI-2	3.43"	1.12"	2'	3.15"	1"
MD-DI-4	3.43"	1.12"	4'	3.15"	1"
MD-DI-6	3.43"	1.12"	6'	3.15"	1"
MD-DI-8	3.43"	1.12"	8'	3.15"	1"

Project:	Type:
	Comments:

Pendant Mounting (DI)



Pendant Mount Kit



MAGNETIC TRACK DUAL - MAGNETIC TRACK

Rev. Date: 10/21/2026

Project:	Type:
	Comments:

Details Photo




MAGNETIC TRACK DUAL - MAGNETIC TRACK

Rev. Date: 10/21/2026

Project:	Type:
	Comments:


Patterns Option Examples

For a custom pattern please contact sales@techoled.com



Layout Sketch

Please draw your custom pattern plan below.



techoLED®
BROOKLYN • NY

MAGNETIC TRACK DUAL - MAGNETIC TRACK

Rev. Date: 10/21/2026

Project:	Type:
	Comments:

Finish Details (powder coat finish)

Standard Colors

W – White



B – Black

Custom Colors



RAL 1003



RAL 2004



RAL 3000



RAL 4001



RAL 5002



RAL 6000



RAL 6038



RAL 7001



RAL 1036



RAL 8029

Any RAL color available, please refer to ralcolorchart.com

Custom Wooden Colors



American Walnut




Cherry



Maple



Light Oak



Palisander Santos


MAGNETIC TRACK DUAL - MAGNETIC TRACK

Rev. Date: 10/21/2026


Project:	Type:
	Comments:

Color Temperature


Color Temperature




2700K




3000K



3500K




4000K




5000K

Tunable White



Dim To Warm



Tunable White